



भारत का राजपत्र The Gazette of India

असाधारण
EXTRAORDINARY

भाग II—खण्ड 3—उप-खण्ड (I)
PART II—Section 3—Sub-section (I)

प्राधिकार से प्रकाशित
PUBLISHED BY AUTHORITY

सं० 67]

नई दिल्ली, शुक्रवार, फरवरी 24, 1995/फाल्गुन 5, 1916

No. 67]

NEW DELHI, FRIDAY, FEBRUARY 24, 1995/PHALGUNA 5, 1916

स्वास्थ्य और परिवार कल्याण मंत्रालय

(स्वास्थ्य विभाग)

अधिसूचना

नई दिल्ली, 24 फरवरी, 1995

सा.का.नि. 89(अ)—खाद्य अपमिश्रण निवारण नियम, 1955 का और संशोधन करने के लिये नियमों का निम्नलिखित प्रारूप, जिसे केन्द्रीय सरकार खाद्य अपमिश्रण निवारण अधिनियम, 1954 (1954 का 37) की धारा 23 की उपधारा (1) द्वारा प्रदत्त शक्तियों का प्रयोग करते हुए, केन्द्रीय खाद्य मानक समिति से परामर्श करके बनाना चाहती है, उक्त उपधारा की अपेक्षानुसार ऐसे सभी व्यक्तियों की जानकारी के लिये, जिनके उममे प्रभावित होने की संभावना है, प्रकाशित की जाती है और यह सूचना दी जाती है कि उक्त प्रारूप नियमों पर, उस तारीख से जिसको उक्त राजपत्र जिसमें उक्त अधिसूचना प्रकाशित की गई है, की प्रतियां जनता को उपलब्ध करा दी जाती हैं, साठ दिन की अवधि की समाप्ति पर या उसके पश्चात् विचार किया जायेगा।

किसी ऐसे आक्षेपों या सुझावों पर जो इस प्रकार ऊपर विनिर्दिष्ट अवधि की समाप्ति के पहले उक्त प्रारूप नियमों की बाबत किसी व्यक्ति से प्राप्त होंगे, केन्द्रीय सरकार विचार करेगी,

आक्षेप या सुझाव, यदि कोई हो, मन्त्रि, स्वास्थ्य और परिवार कल्याण मंत्रालय (स्वास्थ्य विभाग) निर्माण भवन, नई दिल्ली-110011 के पते पर भेज दें।

प्रारूप नियम

- (1) इन नियमों का संक्षिप्त नाम खाद्य अपमिश्रण निवारण (संशोधन) नियम, 1995 है।
- (2) ये राजपत्र में प्रकाशन की तारीख को प्रवृत्त होंगे।

2. खाद्य अपशिष्ट निवारण नियम, 1955 में (जिसे इसमें इसके पश्चात् उक्त नियम कहा गया है) के नियम 42 में, खंड ययय(7) के पश्चात् निम्नलिखित खंड अंतःस्थापित किया जायेगा, अर्थात्:—

“य य य (ख) एल्कोहॉली पेय उक्त प्रत्येक पैकेज पर निम्नलिखित लेबल लगा होगा, अर्थात्:—

मिथाइल एल्कोहॉली अंतर्वस्तु 15/15 डि.सें.
या (— डिग्री उपपत्ति के अधीन) प्रबलता
वाल्यूम—प्रतिशत होगी।

इस घोषणा के प्रयोजन के लिये एथिल एल्कोहॉल अंतर्वस्तु की विचरण की सीमा घोषित सांद्रता की आयतन + 3 प्रतिशत होगी।

3. उक्त नियमों में, नियम 57 के उपनियम (2) की सारणी में,—

(क) क्रमसंख्यांक 1 के सामने स्तंभ (2) में मद (1) ख और उससे संबंधित प्रविष्टियों के पश्चात् निम्नलिखित मद और प्रविष्टियां अंतःस्थापित की जायेंगी, अर्थात्:—

“(i-ग) एल्कोहॉली पेय—0.5

गैर-एल्कोहॉली बीयर—0.5”

(ख) क्रमसंख्यांक 2 के सामने स्तंभ (2) में मद (1) और उससे संबंधित प्रविष्टियों के पश्चात् निम्नलिखित मद और प्रविष्टियां अंतःस्थापित की जायेंगी, अर्थात्:—

“(1-क) जिन, ब्रांडी, रम, व्हिस्की, वोदका देशी स्पिरिट—10

बीयर, गैर एल्कोहॉली बीयर टेबल शराब—5”

(ग) क्रमसं. 3 के सामने स्तंभ (2) की मद (ii) और उससे संबंधित प्रविष्टियों के पश्चात् निम्नलिखित मद और प्रविष्टियां अंतःस्थापित की जायेंगी, अर्थात्:—

“(2क) एल्कोहॉली पेय—0.25

गैर एल्कोहॉली बीयर—0.25”

(घ) क्रमसं. 6 के सामने स्तंभ (2) में की प्रविष्टि के स्थान पर निम्नलिखित प्रविष्टियां रखी जायेंगी, अर्थात्:—

“एल्कोहॉली पेय—0.25

गैर एल्कोहॉली बीयर—0.25

अन्य खाद्य—1.5”

(ङ) क्रमसं. 7 के सामने स्तंभ (2) में की प्रविष्टियों के स्थान पर निम्नलिखित प्रविष्टियां रखी जायेंगी, अर्थात्:—

“जिन, ब्रांडी, रम, वोदका व्हिस्की, देशी स्पिरिट—0.25

मछली—0.5

अन्य खाद्य—1.0”

4. उक्त नियमों के परिशिष्ट “ख”, में, मद क 29.01 और उससे संबंधित प्रविष्टियों के पश्चात् निम्नलिखित अंतःस्थापित किया जायेगा, अर्थात्:—

“क. 29.02 जिन से ऐसा एल्कोहॉली लीकर अभिप्रेत है जो निम्नप्रभावी स्पिरिट या परिष्कृत स्पिरिट से निर्मित किया गया है जिसे जूपितर रसीले फलों और अन्य सुगंधित वाष्पशील उत्पादों से सृजितकारक बनाया गया है। यह मिथाइल एल्कोहॉल, क्लोसल हाइड्रेट, अमोनियम एसोराइड, पाइरिजिन, डाइजोपाम और पाराक्सीहाइड और मिनाये गये रंग तथा स्वास्थ्य के लिये हानिकर किसी भी अन्य संघटकों से मुक्त होगा। यह साफ होगा और पानी में घोले जाने पर इसमें कोई अविलता नहीं आयेंगी। इसमें जिन का अग्रिमालाशक्तिक सुगंध और स्वाद होगा।

जिन में मिथाइल एल्कोहॉल अंतर्वस्तु 15/15 डिग्री से ग्रैड पर 42.8 प्रतिशत (25 उपपत्ति के अधीन) होगी। मिथाइल एल्कोहॉल अंतर्वस्तु की विभिन्नता की सीमा घोषित प्रबलता वाल्यूम के आधार पर + 3.0 प्रतिशत होगी।

यह निम्नलिखित मानकों के भी अनुरूप होंगी, अर्थात्:—

क्रम सं.	अभिलक्षण	अपेक्षा
1.	वाष्पीकरण पर अवशिष्ट (एम./बी.) प्रतिशत से अधिक नहीं	2.5
2.	एसेंटिक अम्ल के रूप में वाष्पशील अम्ल (पूर्ण एल्कोहल के प्रति 100 लीटर में अभिव्यक्त) से अधिक नहीं	5 जी.
3.	इथाइल एसीटेट के रूप में ईस्टर (पूर्ण एल्कोहल के प्रति 100 लीटर में अभिव्यक्त) से कम नहीं	2 जी.
4.	एमाइन एल्कोहल के रूप में उच्चतर एल्कोहल (पूर्ण एल्कोहल के प्रति 100 लीटर में अभिव्यक्त) से अधिक नहीं	50 जी.
5.	एसेटाल्डीहाइड के रूप में, अल्डेहाइड (पूर्ण एल्कोहल के प्रति 100 लीटर में अभिव्यक्त) से अधिक नहीं	20 जी.

क. 29.03 बोदका से निष्प्रभावी स्फिरिट या परिशोधित स्फिरिट से निमित्त ऐसा आर्माविक लीकर अभिप्रेत है जो किण्वित अनाज, आलू, कालोवा से या गंमन या कार्बोहाइड्रेट के किसी अन्य स्रोत से अभिप्राप्त किया जा सकेगा। यह तलछटों और निजबिन सामग्रों से मुक्त होगा। यह मिलाये गये रंजक पदार्थ, मेल, अन्य विजातीय पदार्थ या स्वास्थ्य के लिये हानिकर किसी अन्य संघटक से मुक्त होगा। यह मिथाइल एल्कोहल, बर्लीन हाइड्रेट, पाराल्डिहाइड, अमोनियम क्लोराइड, पाइरिडिन और डाइजोपाम से भी मुक्त होगा।

जिन में इथाइल एल्कोहल अन्तर्वस्तु 15/15 डिग्री से. में पर 42.8 प्रतिशत (25 उपपत्ति के अधीन) होगी। इथाइल एल्कोहल अन्तर्वस्तु, की विभिन्नता की सीमा घोरित प्रबलता वाल्यूम के आधार पर +3.0 प्रतिशत होगी।

यह निम्नलिखित मानकों के अनुरूप भी होगी, अर्थात्:—

क्रम सं.	अभिलक्षण	अपेक्षा
1.	वाष्पीकरण पर अवशिष्ट (एम./बी.) प्रतिशत से अधिक नहीं	1.0
2.	एसेंटिक अम्ल के रूप में वाष्पशील अम्ल (पूर्ण एल्कोहल के प्रति 100 लीटर में अभिव्यक्त) से अधिक नहीं	10
3.	इथाइल एसीटेट के रूप में ईस्टर (पूर्ण एल्कोहल के प्रति 100 लीटर जी. में अभिव्यक्त) से अधिक नहीं	25
4.	एमाइन एल्कोहल के रूप में उच्चतर एल्कोहल (पूर्ण एल्कोहल के प्रति 100 लीटर जी. में अभिव्यक्त) से अधिक नहीं।	50
5.	एसेटाल्डीहाइड के रूप में अल्डेहाइड (पूर्ण एल्कोहल के प्रति 100 लीटर जी. में अभिव्यक्त) से अधिक नहीं	15
6.	फॉर्म्यूरल (पूर्ण एल्कोहल के प्रति 100 लीटर जी. में अभिव्यक्त) से अधिक नहीं।	12

क. 29.4 व्हिस्की निम्नलिखित तीन प्रकार की होगी:—

(क) माल्ट व्हिस्की से माल्ट मिश्रित या माल्ट अमिश्रित अनाज के किण्वित मेष या दोनों के मिश्रण से उत्पादित एल्कोहली प्राप्त अभिप्रेत है। प्राप्तवन इस प्रकार किया जाएगा जिसमें कि स्फिरिट में कच्ची सामग्रों में पहले से विद्यमान या किण्वन से बने प्राकृतिक वाष्पशील सिद्धान्तों से अभिप्राप्त मुवास है।

(ख) व्हिस्की से निष्प्रभावी स्फिरिट या परिशोधित स्फिरिट या दोनों के मिश्रण से निमित्त एल्कोहल लीकर अभिप्रेत है।

(ग) संमिश्रित माल्ट व्हिस्की से व्हिस्की के साथ कम से कम 4 प्रतिशत माल्ट व्हिस्की का मिश्रण अभिप्रेत है।

विह्स्की में अभिलाक्षणिक स्वाद और सुगंध होगा। विह्स्की तलछटों, कैरामन के सिवाए रंजक पदार्थ, मेल अन्य विजातीय, पदार्थ या स्वास्थ्य के लिए हानिकारक संघटकों से मुक्त होगी। यह मिथाइल एल्कोहल, क्लोरल हाइड्रेड, पाराल्डिहाइड, अमोनियम क्लोराइड पाइरिडीन और डाइजोपाम से मुक्त होगी।

विह्स्की में इथाइल एल्कोहल अन्तर्वस्तु 15/15 डिग्री में पर 42.8 प्रतिशत (25 उपपत्ति के अधीन) होगी। इथाइल एल्कोहल अन्तर्वस्तु की विभिन्नता की सीमा घोषित प्रबलता वाल्यूम के आधार पर + 3.0 प्रतिशत होगी।

यह निम्नलिखित मानकों के भी अनुरूप होगी; अर्थात् :—

क्रम संख्या	अभिलक्षण	अपेक्षा
1.	वाष्पशील पर अवशिष्ट (एम/बी) प्रतिशत से अधिक नहीं	2.0
2.	कुल भस्म (एम/बी) प्रतिशत से अधिक नहीं	0.1
3.	एसेटीक अम्ल के रूप में वाष्पशील अम्ल (पूर्ण अल्कोहल प्रति 100 लीटर जी. में अभिव्यक्त) प्रतिशत से अधिक नहीं।	50
4.	इथाइल एसीटेट के रूप में ईस्टर (पूर्ण एल्कोहल प्रति 100 लीटर जी. में अभिव्यक्त) से कम नहीं	
	(क) माल्ट विह्स्की के लिए	10
	(ख) विह्स्की के लिए	2
	(ग) संमिश्रित माल्ट विह्स्की के लिए	5
5.	एमाइल एल्कोहल के रूप में उच्चतर एल्कोहल (पूर्ण एल्कोहल प्रति 100 लीटर जी. में अभिव्यक्त) से अधिक नहीं	350
6.	एसेटाल्डीमाइड के रूप में एलडहाइड (पूर्ण एल्कोहल प्रति 100 लीटर जी. में अभिव्यक्त)	
	(क) माल्ट विह्स्की	4 5
	(ख) विह्स्की	15
	(ग) संमिश्रित माल्ट विह्स्की	35
7.	फरफूरल (पूर्ण एल्कोहल प्रति 100 लीटर जी. में अभिव्यक्त) से अधिक नहीं	12

क. 29 05 देशी स्पिरिट (आसवन)

देशी स्पिरिट (आसवन) निम्नलिखित तीन प्रकार की होगी, ; अर्थात् :—

(क) सादा देशी स्पिरिट :—अनाज, आलू, कासबा, फल, जौरा, गुड़, नागियल रस/सैप पामीरा या ताड़ के अन्य पेड़ों, बहुधा के फूल या किसी किण्वणीय कार्बोहाइड्रेड के अन्य स्रोत के किण्वित मर्श से अभिप्राप्त एल्कोहली आसवन अभिप्रेत है। आसवन इस प्रकार किया जाएगा जिससे कि स्पिरिट में कच्ची सामग्री में पहले से विद्यमान या किण्वन से बने प्राकृतिक वाष्पशील सिद्धान्त से अभिप्राप्त सुवास है।

(ख) संमिश्रित देशी स्पिरिट :—इससे पोटस्टील आसवन, परिशोधित स्पिरिट और निष्प्रभावी एल्कोहल का संमिश्रण अभिप्रेत है। इसमें उत्पाद का अभिलाक्षणिक स्वाद और सुगंध होगा।

(ग) मसालेदार देशी स्पिरिट :—इससे ऐसा सादी या संमिश्रित देशी स्पिरिट अभिप्रेत है जिसे सुवासित या रंजित किया गया है। रंजन के लिए केवल अनुज्ञात प्राकृतिक खाद्य रंजन का ही प्रयोग किया जा सकता है।

देशी स्पिरिट सिवाए मसालेदार देशी स्पिरिट के जिसमें अनुज्ञात प्राकृतिक रंजक हो सकता है, रंजन पदार्थों से मुक्त होगी। यह मेल अन्य विजातीय पदार्थों या स्वास्थ्य के लिए हानिकारक संघटक से मुक्त होगी। यह मिथाइल एल्कोहल, क्लोरलहाइड्रेड पाराल्डिहाइड, अमोनियम क्लोराइड, पाय्रिडीन और डाइजोपाम से भी मुक्त होगी।

विह्स्की से इथाइल एल्कोहल अन्तर्वस्तु 15/15 डिग्री में पर (67.25 डिग्री उपपत्ति पर) 19.9 से 42.8 प्रतिशत के बीच की प्रबलता पर होगी। इसमें इथाइल एल्कोहल अन्तर्वस्तु की विभिन्नता की सीमा घोषित प्रबलता वाल्यूम के आधार पर + 3.0 प्रतिशत होगी।

यह निम्नलिखित मानकों के अनुरूप होगी; अर्थात् :—

क्रम सं.	अभिलक्षण	सादी देशी स्पिरिट	अपेक्षा संमिश्रित देशी स्पिरिट	मसालेदार देशी स्पिरिट
1.	टाट्रिक अम्ल के रूप में कुल अम्ल (पूर्ण एल्कोहल प्रति 100 लीटर जी. में अभिव्यक्त) से अधिक नहीं।	200	100	200
2.	एसेटीक अम्ल के रूप में वाष्पशील अम्ल (पूर्ण एल्कोहल प्रति 100 लीटर जी. में अभिव्यक्त) से अधिक नहीं।	100	50	100
3.	इथाइल एसीटेट के रूप में (पूर्ण एल्कोहल प्रति 100 लीटर जी. में अभिव्यक्त) से कम नहीं।	5	3	5
4.	एमाइल एल्कोहल के रूप में उच्चतर एल्कोहल (पूर्ण एल्कोहल प्रति 100 लीटर जी. में अभिव्यक्त) से अधिक नहीं।	250	250	250
5.	एमेटालडीहाइड के रूप में एल्डेहाइड (पूर्ण एल्कोहल प्रति 100 लीटर जी. में अभिव्यक्त) से अधिक नहीं।	35	35	35
6.	फरफ्यूरल (पूर्ण एल्कोहल प्रति 100 लीटर जी. में अभिव्यक्त) से अधिक नहीं।	12	12	12

क. 29.06 ब्रांडी निम्नलिखित तीन प्रकार की होगी, अर्थात् :—

(क) अंगूर ब्रांडी—इससे केवल अंगूर के ताजे पके और स्वच्छ फलों के किण्वित रस से प्राप्त एल्कोहली आसवन अभिप्रेत है। आसवन इस प्रकार किया जाएगा जिससे कि स्पिरिट में कच्ची सामग्री में पहले से विद्यमान या किण्वन से बने प्राकृतिक वाष्पशील सिद्धान्तों से अभिप्राप्त सुवास है।

टिप्पण :—अंगूर से भिन्न किसी अन्य फल से निमित्त ब्रांडी की दशा में परिभाषा में “अंगूर” फल के स्थान पर उस फल का नाम होगा।

(ख) ब्रांडी से निष्प्रभावी स्पिरिट या परिशोधित स्पिरिट से निमित्त एल्कोहली निकर अभिप्रेत है। इसमें ब्रांडी का सुभिन्न गंध और स्वाद होगा।

(ग) संमिश्रित अंगूर ब्रांडी—इसमें ब्रांडी के साथ कम से कम 4 प्रतिशत अंगूर ब्रांडी का मिश्रण अभिप्रेत है। यदि संमिश्रण के लिए किसी अन्य फल को ब्रांडी का प्रयोग किया जाता है तो अंगूर के स्थान पर उस फल का नाम रखा जाएगा।

ब्रांडियां तलछट, कैरायल के सिवाए मिलाए गए रंजक पदार्थ, मूल अन्य विजातीय पदार्थ या स्वास्थ्य के लिए हानिकार किसी संघटक से मुक्त होगी। यह मिथाइल एल्कोहल क्लोरल हाइड्रेड, पाराडिहाइड, अमोनियम क्लोराइड पाइरिडीन और डायजो-पाम से भी मुक्त होगी।

ब्रांडी पर “परिपक्व” का लेबल तब लगाया जाएगा जब अंगूर स्पिरिट का संमिश्रण काष्ठ कुंड या बैरल में कम से कम तीन मास से तैयार किया गया हो। इसमें अभिलाक्षणिक मुगंध और ब्रांडी का स्वाद होगा। यह अंबर रंग का होगा।

इसमें इथाइल एल्कोहल अन्तर्वस्तु 15/15 डिग्री से. ग्रेड पर 42.8 प्रतिशत (25 उपपत्ति के अधीन) होगी। इथाइल एल्कोहल अन्तर्वस्तु की विभिन्नता की सीमा घोषित प्रबलता वायूम के आधार पर + 3.0 प्रतिशत होगी।

यह निम्नलिखित मानकों के अनुरूप होगी, अर्थात् :—

क्रम सं.	अभिरक्षण	अपेक्षा
1.	वाष्पशील पर अवशिष्ट (एम/बी) प्रतिशत में अधिक नहीं	3.0
2.	कुल अम्ल (एम/बी) प्रतिशत में अधिक नहीं	0.5
3.	एसिटिक अम्ल के रूप में वाष्पशील अम्ल (एम/बी) (पूर्ण एल्कोहल प्रति 100 लीटर में अभिव्यक्त) प्रतिशत से अधिक नहीं।	100 जी.
4.	इथाइल एसिटेट के रूप में ईस्टर (पूर्ण एल्कोहल प्रति 100 लीटर में अभिव्यक्त) से कम नहीं	
	(क) अंगूर ब्राण्डी	10 जी.
	(ख) ब्राण्डी	2 जी.
	(ग) संमिश्रित अंगूर ब्राण्डी	5 जी.
5.	एमाइन एल्कोहल के रूप में अल्कन एल्कोहल (पूर्ण एल्कोहल प्रति 100 लीटर में अभिव्यक्त) से अधिक नहीं	
	(क) अंगूर ब्रांडी और संमिश्रित अंगूर ब्रांडी	350 जी.
	(ख) ब्रांडी	200 जी.
6.	एसिटिलसीहाइड के रूप में अल्लेसीड (पूर्ण एल्कोहल प्रति 100 लीटर में अभिव्यक्त) से अधिक नहीं	
	(क) अंगूर ब्राण्डी और संमिश्रित अंगूर ब्रांडी	45 जी.
	(ख) ब्राण्डी	15 जी.
7.	परफ्यूम (100 लीटर पूर्ण एल्कोहल के रूप में अभिव्यक्त) से अधिक नहीं	12 जी.

(क) 29.07 रम—इसमें गन्ना, गन्ना उत्पाद, गन्ना शीरा, चुकन्दर या चुकन्दर शीरा या किसी भी कार्बोहाइड्रेट निर्मित या ऐसे कच्चे पदार्थ जिनमें कार्बोहाइड्रेट के अंश हैं से किश्मि एल्कोहली आम्रवन अभिप्रेत है। मिथाइल एल्कोहल बल्बोरन हाइड्रेड अमोनियम क्लोराइड पाइरीडीन डाइक्लोराइड और पालडिहाइड से मुक्त होगी।

यह तत्वछट या अतिशय पदार्थ से मुक्त होगी। यह केंगमेल के सिवाय मिलाए गए रंजकों, मेल अन्य विजातीय पदार्थों या स्वास्थ्य के लिए हानिकर किसी भी संघटकों से भी मुक्त होगी। बिना केंगमेल वाली रम सफेद रम के रूप में अभिहित की जाएगी।

इसमें इथाइल एल्कोहल अन्तर्वस्तु 15/15 डिग्री से.से. पर 42.8 प्रतिशत (25 उपपत्ति के अधीन) होगी। इथाइल एल्कोहल अन्तर्वस्तु की निशुद्धता को सामा धोषधन प्रवर्तना योन्स के आधार पर + 3.0 प्रतिशत होगी।

यह निम्नलिखित मानकों के अनुरूप भी होगी :—

क्रम सं.	अभिरक्षण	अपेक्षा
1.	रंग	
	(क) 1 से.मी. सेल में डिस्टोमीटर द्वारा ले कम नहीं	5 लाल 5 पीला
	(ख) तुलनात्मक स्वाद द्वारा	स्वाद के अनुरूप
2.	वाष्पशील पर अवशिष्ट प्रति 100 मी.ली. से अधिक नहीं	2.0 जी.
3.	टारटारिक अम्ल के रूप में कुल अम्ल (पूर्ण एल्कोहल प्रति 100 लीटर में अभिव्यक्त) से अधिक नहीं	200 जी.

4. एसिटिक अम्ल के रूप में वाष्पशील अम्ल (पूर्ण एल्कोहल प्रति 100 लीटर में अभिव्यक्त) 200 जी.
5. इथाइल एसिटेट के रूप में ईस्टर (पूर्ण एल्कोहल प्रति 100 लीटर में अभिव्यक्त) से कम नहीं 100 जी.
6. इथाइल एल्कोहल के रूप में उच्चतर एल्कोहल (पूर्ण एल्कोहल प्रति 100 लीटर में अभिव्यक्त) से अधिक नहीं 300 जी.
7. एसिटालडिहाइड के रूप में अलडेहाइड (पूर्ण एल्कोहल प्रति 100 लीटर में अभिव्यक्त) से अधिक नहीं 45 जी.
8. फरफ्यूरल (पूर्ण एल्कोहल प्रति 100 लीटर में अभिव्यक्त) से अधिक नहीं 8 जी.

(क) 29.08 बियर—इसमें माल्ट मिश्रित जो और होंग या होंग या नदर पेय जल में किसी अन्य माल्ट मिश्रित या बिना माल्ट मिश्रित अनाज के मिलाने या दूध से मिलाने या अन्य कार्बोहाइड्रेट मिश्रित के मेश के एल्कोहली किण्वन का उत्पाद अभिप्रेत है। होंग के स्थान पर किसी भी स्रोत से नीचे मानक का प्रयोग नहीं किया जाएगा।

यह मिथाइल एल्कोहल, क्लोरन हाइड्रेड, प्रमोतिपम क्लोराइड पाइरिडीन ट्रायजोपाम और पाइलडिहाइड से मुक्त होगी।

यह तलछट और अधिशोष पदार्थ से मुक्त होगी। यह चीनी में उदात्तित कैमेल को छोड़कर किसी भी भिन्न गण रंग से मुक्त होगी।

यह मूल, अन्य विज्ञानीय पदार्थ या स्वास्थ्य के लिए हानिकार संघटकों से भी मुक्त होगी। बोनल बंद या डिब्बा बंद बियर प्रभावी रूप से पाश्चुरीकृत की जाएगी। यह कार्बोहाइड्रेट जीवाणु और अन्य रासायनिक सूक्ष्म जीव से मुक्त होगा। यह साफ और अभिलाक्षिक रंग स्वाद, सुगंध और अम्लीय तरह की फेन होगी।

यह निम्नलिखित मानकों के अनुरूप भी होगी, अर्थात्—

क्रम सं.	अभिलक्षण	अपेक्षा
1.	15 डिग्री में, पर प्रवलता/प्रवलताओं में इथाइल एल्कोहल रंग का प्रतिक्षण	
	(क) बियर के लिए	3.0 से 5.0
	(ख) नेज बियर के लिए	5.1 से 7.0
2.	पी.एच.	3.5 से 4.5
3.	कार्बनडाइऑक्साइड बी/बी में अधिक नहीं	2.5 प्रतिशत

(क) 29.09 टेबल शराब—इसमें ताजे अंगूर के रस से एल्कोहली किण्वन द्वारा प्राप्त उत्पाद अभिप्रेत है। इसमें अंगूर से प्राप्त या किण्वन के दौरान सार तत्व से उत्पादित विविध प्रकार के अभिलक्षण होंगे।

टेबल शराब चार प्रकार की होगी :—

शुष्क, श्वेत टेबल शराब और मधुर श्वेत टेबल शराब—इसमें अंगूर के एल्कोहली किण्वन से अभि-प्राप्त उत्पाद अभिप्रेत है। शराब श्वेत हल्के सुतहरे रंग की होगी।

शुष्क, लाल टेबल शराब और मधुर लाल—टेबल शराब : इसमें लाल बेंगनी या काले अंगूर या उसके मिश्रण के एल्कोहली किण्वन द्वारा प्राप्त उत्पाद अभिप्रेत है। लाल रंग मृदुलतर अंगूर में बिलसित पुष्प गंधीय प्राकृतिक वर्ण में मिलेगा। लाल रंग बनाने के लिए संश्लिष्ट रंग नहीं मिलाया जाएगा। शराब में विविध लाल और बैंगनी रंग होंगे। जिसमें गुलाबी रंग होगा उसे गुलाबी शराब और "लाल शराब नहीं" के रूप में चिह्नित किया जाएगा।

यह मिलाए गए रंजक पदार्थ, किसी दुर्गन्ध, स्वाद, गंदलापन, फफूंद और जीवाणु वर्द्धन से मुक्त होगी। यदि उपभोक्ता द्वारा अपेक्षित हो तो देबन शराब पाश्चुरीकृत की जा सकती है।

यह इथाइल एल्कोहल क्लोरल हाइड्रेट, पारलडिहाइड, अमोनियम क्लोराइड, पिरार्डिइन और डाइजोपाम अन्य विजातीय पदार्थ या स्वास्थ्य के लिए हानिकर किसी संघटक से भी मुक्त होगी।

यह निम्नलिखित मानकों के अनुरूप भी होगी:—

क्रम सं.	अभिलक्षण	अपेक्षा			
		शुष्क श्वेत प्रकार का	मधुर श्वेत प्रकार का	शुष्क लाल प्रकार का	मधुर लाल प्रकार का
1.	इथाइल अल्कोहल अंश की प्रबलता में प्रतिशत	8 से 13	10.05 से 15.5 तक	8 से 13	10.5 से 15.5 तक
2.	अवशिष्ट चीनी कम होना जी./लीटर से अधिक नहीं	5.5	150	5.5	150
3.	कुल अम्ल टारटारिक अम्ल जी./लीटर	4 से 15	4 से 15	4 से 15	4 से 15
4.	ऐसीटिक अम्ल/जी. लीटर में अभिव्यक्त वाष्प-शील अम्लता से अधिक नहीं	1.3	1.3	1.3	1.3
5.	सुक्रोज/जी. लीटर से अधिक नहीं	—	150	—	150
6.	सल्फर डाइआक्साइड/मि. ग्रा./लीटर से अधिक नहीं	150	—	150	—

क. 29.10 गैर-एल्कोहली बियर—इससे माल्ट मिश्रित जो और हाप या हाप सान्द्र, पेय जल में किसी अन्य माल्ट मिश्रित या बिना माल्ट मिश्रित अनाज के मिलाने या बगैर मिलाने या अन्य कार्बोहाइड्रेट निर्मित के मैश के एल्कोहली किण्वन का उत्पाद अभिप्रेत है।

इसमें इथाइल एल्कोहल का अंश प्रबलता में 0.5 प्रतिशत से कम होगा।

यह तलछट या अभिभोग पदार्थ से मुक्त होगी। यह कैरामल को छोड़कर मिलाए गए रंजकों से मुक्त होगी। यदि अपेक्षित हो तो प्रभावी रूप से पहले इसे पाश्चुरीकृत की जाएगी। बोतलबंद करने से पहले इसे कार्बन डाइआक्साइड से चार्जित की जाएगी। यह मिथाइल एल्कोहल क्लोरल हाइड्रेट, पारलडीहाइड, अमोनियम क्लोराइड, पाइरिडीन तथा डाइजोपाम से भी मुक्त होगी।

यह निम्नलिखित मानकों के भी अनुरूप होगी, अर्थात्:

क्रम सं.	अभिलक्षण	अपेक्षा
1.	15/15 डिग्री सें० पर प्रबलता में इथाइल एल्कोहल के अंश का प्रतिशत	0.5
2.	पी.एच.	3.5 से 4.5
3.	कार्बन डाइआक्साइड बी/बी	2.5 से 3.0 तक
4.	वाष्पीकरण पर अवशिष्ट अंश (एमबी)	5 से 10 तक
5.	कुल प्लेट काउंट प्रति मि.ली. से अधिक नहीं	50
6.	100 मिली. में कालीफाम काउंट	0
7.	खमीर और फफूंदी काउंट	2"

[फा.सं. पी.-15014/1/91 पी.एच. (खाद्य)]

शैलजा चन्द्र, संयुक्त सचिव

याद टिप्पण: मूल नियम, द्वारा प्रकाशित हुए और उनका निम्नलिखित द्वारा संशोधन किया गया।

नोट : खाली अपमिश्रण निवारण नियम, 1955 पहले दिनांक 12-9-1955 का नि.आ. 2105 के तहत भारत के राजपत्र के भाग-II, खण्ड-3 में प्रकाशित किए गए थे और उसके बाद निम्नलिखित द्वारा संशोधित किए गए ।

1. का.नि.आ. 1202, दिनांक 26-5-56
2. का.नि.आ. 1687, दिनांक 28-7-56
3. का.नि.आ. 2213, दिनांक 28-9-56 (असाधारण)
4. का.नि.आ. 2755, दिनांक 24-11-56

और संशोधित भारत के राजपत्र के भाग-II, खण्ड-3, उपखंड-5 (1) में प्रकाशित किए गए जो इस प्रकार हैं :-

5. सा.का.नि. 514, दिनांक 28-6-58
6. सा.का.नि. 1211, दिनांक 20-12-58
7. सा.का.नि. 425, दिनांक 4-4-60
8. सा.का.नि. 169, दिनांक 11-2-61
9. सा.का.नि. 1134, दिनांक 16-9-61
10. सा.का.नि. 1340, दिनांक 4-11-61
11. सा.का.नि. 1564, दिनांक 24-11-62
12. सा.का.नि. 1589, दिनांक 22-10-64
13. सा.का.नि. 1814, दिनांक 11-12-65
14. सा.का.नि. 74, दिनांक 8-1-66
15. सा.का.नि. 382, दिनांक 19-3-66
16. सा.का.नि. 1256, दिनांक 26-8-67
17. सा.का.नि. 1533, दिनांक 24-8-67
18. सा.का.नि. 2163, दिनांक 14-12-68 (शुद्धिपत्र)
19. सा.का.नि. 532, दिनांक 8-3-69
20. सा.का.नि. 1764, दिनांक 26-7-69 (शुद्धिपत्र)
21. सा.का.नि. 2068, दिनांक 30-8-69
22. सा.का.नि. 1809, दिनांक 24-10-70
23. सा.का.नि. 930, दिनांक 12-6-71
24. सा.का.नि. 992, दिनांक 3-7-71
25. सा.का.नि. 553, दिनांक 6-5-72
26. सा.का.नि. 436 (ई), दिनांक 10-10-72
27. सा.का.नि. 133, दिनांक 10-2-73
28. सा.का.नि. 203, दिनांक 23-2-74
29. सा.का.नि. 850, दिनांक 12-7-75
30. सा.का.नि. 508 (ई), दिनांक 27-9-75
31. सा.का.नि. 63 (ई), दिनांक 5-2-76
32. सा.का.नि. 754, दिनांक 29-5-76
33. सा.का.नि. 755, दिनांक 29-5-76
34. सा.का.नि. 856, दिनांक 12-6-76

35. सा.का.नि. 1417, दिनांक 2-10-76
36. सा.का.नि. 4 (ई), दिनांक 4-1-77
37. सा.का.नि. 18 (ई), दिनांक 5-1-77
38. सा.का.नि. 651 (ई), दिनांक 22-10-77
39. सा.का.नि. 732 (ई), दिनांक 5-12-77
40. सा.का.नि. 775 (ई), दिनांक 27-12-77
41. सा.का.नि. 36 (ई), दिनांक 21-1-78
42. सा.का.नि. 70 (ई), दिनांक 8-2-78
43. सा.का.नि. 238 (ई), दिनांक 20-4-78
44. सा.का.नि. 393 (ई), दिनांक 4-8-78
45. सा.का.नि. 590 (ई), दिनांक 23-12-78
46. सा.का.नि. 55 (ई), दिनांक 31-1-79
47. सा.का.नि. 142 (ई), दिनांक 16-3-79 (शुद्धिपत्र)
48. सा.का.नि. 231 (ई), दिनांक 6-4-79
49. सा.का.नि. 1043, दिनांक 11-8-79 (शुद्धिपत्र)
50. सा.का.नि. 1210, दिनांक 29-9-79 (शुद्धिपत्र)
51. सा.का.नि. 19 (ई), दिनांक 28-1-80
52. सा.का.नि. 243, दिनांक 1-3-80
53. सा.का.नि. 244, दिनांक 1-3-80
54. सा.का.नि. 577, दिनांक 24-5-80 (शुद्धिपत्र)
55. सा.का.नि. 998, दिनांक 27-9-80 (शुद्धिपत्र)
56. सा.का.नि. 579 (ई), दिनांक 13-10-80
57. सा.का.नि. 652 (ई), दिनांक 14-11-80
58. सा.का.नि. 710 (ई), दिनांक 22-12-70
59. सा.का.नि. 23 (ई), दिनांक 16-1-71
60. सा.का.नि. 205 (ई), दिनांक 25-3-81 (शुद्धिपत्र)
61. सा.का.नि. 290 (ई), दिनांक 13-4-81
62. सा.का.नि. 444, दिनांक 2-5-61 (शुद्धिपत्र)
63. सा.का.नि. 503 (ई), दिनांक 1-9-81
64. सा.का.नि. 91, दिनांक 3-10-81 (शुद्धिपत्र)
65. सा.का.नि. 1056, दिनांक 5-12-81 (शुद्धिपत्र)
66. सा.का.नि. 80, दिनांक 23-1-82 (शुद्धिपत्र)
67. सा.का.नि. 44 (ई), दिनांक 5-2-62
68. सा.का.नि. 57 (ई), दिनांक 11-2-82
69. सा.का.नि. 245 (ई), दिनांक 11-3-82
70. सा.का.नि. 307 (ई), दिनांक 3-4-82 (शुद्धिपत्र)
71. सा.का.नि. 386, दिनांक 17-4-82 (शुद्धिपत्र)
72. सा.का.नि. 422 (ई), दिनांक 24-5-82
73. सा.का.नि. 476 (ई), दिनांक 20-7-82 (शुद्धिपत्र)
74. सा.का.नि. 504 (ई), दिनांक 20-7-82 (शुद्धिपत्र)

75. सा.का.नि. 753 (ई), दिनांक 11-12-82 (शुद्धिपत्र)	107. सा.का.नि. 748 (ई), दिनांक 29-9-85 (शुद्धिपत्र)
76. सा.का.नि. 109 (ई), दिनांक 26-2-83	108. सा.का.नि. 892 (ई), दिनांक 6-12-85 (शुद्धिपत्र)
77. सा.का.नि. 249 (ई), दिनांक 8-3-83	109. सा.का.नि. 903 (ई), दिनांक 17-12-85 (शुद्धिपत्र)
78. सा.का.नि. 268 (ई), दिनांक 16-3-83	110. सा.का.नि. 73 (ई), दिनांक 29-1-86
79. सा.का.नि. 283 (ई), दिनांक 26-3-83	111. सा.का.नि. 507 (ई), दिनांक 19-3-86
80. सा.का.नि. 329 (ई), दिनांक 14-4-83 (शुद्धिपत्र)	112. सा.का.नि. 724 (ई), दिनांक 29-4-86 (शुद्धिपत्र)
81. सा.का.नि. 539 (ई), दिनांक 1-7-83 (शुद्धिपत्र)	113. सा.का.नि. 851 (ई), दिनांक 13-6-86
82. सा.का.नि. 634, दिनांक 9-5-83 (शुद्धिपत्र)	114. सा.का.नि. 852 (ई), दिनांक 13-6-86
83. सा.का.नि. 743, दिनांक 8-10-83 (शुद्धिपत्र)	115. सा.का.नि. 910 (ई), दिनांक 27-6-86
84. सा.का.नि. 790 (ई), दिनांक 10-10-83	116. सा.का.नि. 939 (ई), दिनांक 9-7-86 (शुद्धिपत्र)
85. सा.का.नि. 803 (ई), दिनांक 27-10-83	117. सा.का.नि. 1008 (ई), दिनांक 18-8-86 (शुद्धिपत्र)
86. सा.का.नि. 816 (ई), दिनांक 3-11-83	118. सा.का.नि. 1149 (ई), दिनांक 15-10-86 (शुद्धिपत्र)
87. सा.का.नि. 829 (ई), दिनांक 7-11-83	119. सा.का.नि. 1207 (ई), दिनांक 18-11-86 (शुद्धिपत्र)
88. सा.का.नि. 848 (ई), दिनांक 19-11-83	120. सा.का.नि. 1228 (ई), दिनांक 27-11-86
89. सा.का.नि. 893 (ई), दिनांक 17-12-83 (शुद्धिपत्र)	121. सा.का.नि. 12 (ई), दिनांक 5-1-87
90. सा.का.नि. 113, दिनांक 20-1-84 (शुद्धिपत्र)	122. सा.का.नि. 28 (ई), दिनांक 13-1-87 (शुद्धिपत्र)
91. सा.का.नि. 500 (ई), दिनांक 9-7-84	123. सा.का.नि. 270 (ई), दिनांक 2-3-87
92. सा.का.नि. 612 (ई), दिनांक 18-8-84 (शुद्धिपत्र)	124. सा.का.नि. 344 (ई), दिनांक 31-3-87 (शुद्धिपत्र)
93. सा.का.नि. 744 (ई), दिनांक 27-10-84	125. सा.का.नि. 422 (ई), दिनांक 29-4-87
94. सा.का.नि. 764 (ई), दिनांक 15-11-84	126. सा.का.नि. 500 (ई), दिनांक 15-5-87 (शुद्धिपत्र)
95. सा.का.नि. 3 (ई), दिनांक 1-1-85	127. सा.का.नि. 569 (ई), दिनांक 12-6-87 (शुद्धिपत्र)
96. सा.का.नि. 11 (ई), दिनांक 4-1-85	128. सा.का.नि. 840 (ई), दिनांक 6-10-87
97. सा.का.नि. 142 (ई), दिनांक 8-3-85 (शुद्धिपत्र)	129. सा.का.नि. 900 (ई), दिनांक 10-11-87
98. सा.का.नि. 293 (ई), दिनांक 23-3-85	130. सा.का.नि. 916 (ई), दिनांक 17-11-87
99. सा.का.नि. 388 (ई), दिनांक 18-4-85 (शुद्धिपत्र)	131. सा.का.नि. 917 (ई), दिनांक 17-11-87
100. सा.का.नि. 385 (ई), दिनांक 29-4-85 (शुद्धिपत्र)	132. सा.का.नि. 918 (ई), दिनांक 17-11-87 (शुद्धिपत्र)
101. सा.का.नि. 543 (ई), दिनांक 2-7-85	133. सा.का.नि. 72 (ई), दिनांक 3-2-88 (शुद्धिपत्र)
102. सा.का.नि. 550 (ई), दिनांक 4-7-85	134. सा.का.नि. 73 (ई), दिनांक 3-2-88 (शुद्धिपत्र)
103. सा.का.नि. 587 (ई), दिनांक 17-7-85 (शुद्धिपत्र)	135. सा.का.नि. 366 (ई), दिनांक 23-3-88 (शुद्धिपत्र)
104. सा.का.नि. 605 (ई), दिनांक 24-7-85	136. सा.का.नि. 367 (ई), दिनांक 23-3-88
105. सा.का.नि. 745 (ई), दिनांक 20-9-85	137. सा.का.नि. 437 (ई), दिनांक 8-4-88
106. सा.का.नि. 746 (ई), दिनांक 20-9-85	

138. सा.का.नि. 436 (ई), दिनांक 8-4-68
139. सा.का.नि. 454 (ई), दिनांक 15-4-88
140. सा.का.नि. 618 (ई), दिनांक 16-5-88
141. सा.का.नि. 855 (ई), दिनांक 12-8-88
(शुद्धिपत्र)
142. सा.का.नि. 856 (ई), दिनांक 12-8-88 (शुद्धिपत्र)
143. सा.का.नि. 924 (ई), दिनांक 13-9-88 (शुद्धिपत्र)
144. सा.का.नि. 1081 (ई), दिनांक 17-11-88
(शुद्धिपत्र)
145. सा.का.नि. 1157 (ई), दिनांक 9-12-88 (शुद्धिपत्र)
146. सा.का.नि. 42(ई), दिनांक 20-1-89 (शुद्धिपत्र)
147. सा.का.नि. 128(ई), दिनांक 8-3-90
148. सा.का.नि. 411 (ई), दिनांक 29-3-90
149. सा.का.नि. 445 (ई), दिनांक 16-4-90
150. सा.का.नि. 457 (ई), दिनांक 23-4-90
151. सा.का.नि. 728 (ई), दिनांक 23-8-90
(शुद्धिपत्र)
152. सा.का.नि. 729 (ई), दिनांक 23-8-90
153. सा.का.नि. 732 (ई), दिनांक 23-8-90
154. सा.का.नि. 727 (ई), दिनांक 23-8-90
155. सा.का.नि. 764 (ई), दिनांक 7-9-90
156. सा.का.नि. 867 (ई), दिनांक 25-10-90
157. सा.का.नि. 10 (ई), दिनांक 7-1-91
158. सा.का.नि. 24 (ई), दिनांक 15-1-91
159. सा.का.नि. 66 (ई), दिनांक 11-2-91 (शुद्धिपत्र)
160. सा.का.नि. 124 (ई), दिनांक 5-3-91
161. सा.का.नि. 168 (ई), दिनांक 21-3-91 (शुद्धिपत्र)
162. सा.का.नि. 255 (ई), दिनांक 3-5-91 (शुद्धिपत्र)
163. सा.का.नि. 257 (ई), दिनांक 3-5-91
164. सा.का.नि. 281 (ई), दिनांक 29-5-91
165. सा.का.नि. 494 (ई), दिनांक 25-7-91
166. सा.का.नि. 531 (ई), दिनांक 14-8-91 (शुद्धिपत्र)
167. सा.का.नि. 648 (ई), दिनांक 25-10-91
168. सा.का.नि. 731 (ई), दिनांक 10-12-91
169. सा.का.नि. 66 (ई), दिनांक 30-1-92 (शुद्धिपत्र)
170. सा.का.नि. 91 (ई), दिनांक 7-2-92
171. सा.का.नि. 101 (ई), दिनांक 18-2-92
172. सा.का.नि. 314 (ई), दिनांक 9-3-92 (शुद्धिपत्र)
173. सा.का.नि. 524 (ई), दिनांक 15-5-92 (शुद्धिपत्र)
174. सा.का.नि. 525 (ई), दिनांक 15-5-92 (शुद्धिपत्र)
175. सा.का.नि. 591 (ई), दिनांक 15-6-92
176. सा.का.नि. 599 (ई), दिनांक 15-6-92 (शुद्धिपत्र)
177. सा.का.नि. 596 (ई), दिनांक 17-6-92
178. सा.का.नि. 784 (ई), दिनांक 28-9-92
179. सा.का.नि. 878 (ई), दिनांक 17-11-92
180. सा.का.नि. 903 (ई), दिनांक 2-12-92 (शुद्धिपत्र)
181. सा.का.नि. 907 (ई), दिनांक 4-12-92
182. सा.का.नि. 925 (ई), दिनांक 15-12-92
183. सा.का.नि. 429 (ई), दिनांक 25-5-93 (शुद्धिपत्र)
184. सा.का.नि. 483 (ई), दिनांक 30-6-93 (शुद्धिपत्र)
185. सा.का.नि. 509 (ई), दिनांक 14-7-93 (शुद्धिपत्र)
186. सा.का.नि. 695 (ई), दिनांक 9-11-93
187. सा.का.नि. 481 (ई), दिनांक 16-9-93
188. सा.का.नि. 777 (ई), दिनांक 16-12-93
(शुद्धिपत्र)
189. सा.का.नि. 105 (ई), दिनांक 22-2-94
190. सा.का.नि. 106 (ई), दिनांक 22-2-94
191. सा.का.नि. 107 (ई), दिनांक 22-2-94
192. सा.का.नि. 300 (ई), दिनांक 9-3-94
193. सा.का.नि. 614 (ई), दिनांक 9-8-94
194. सा.का.नि. 677 (ई), दिनांक 6-9-94
195. सा.का.नि. 807 (ई), दिनांक 14-11-94
196. सा.का.नि. 847 (ई), दिनांक 7-12-94
197. सा.का.नि. 853 (ई), दिनांक 7-12-94

MINISTRY OF HEALTH & FAMILY WELFARE

(Department of Health)

NOTIFICATION

New Delhi, the 24th February, 1995

G.S.R. 89(E).—The following draft of rules further to amend the Prevention of Food Adulteration Rules, 1955 which the Central Government proposes to make in exercise of the powers conferred by sub-section (1) of Section 23 of the Prevention of Food Adulteration Act, 1954 (37 of 1954) in consultation with the Central Committee for Food Standards, is hereby published as required by the said sub-section for the information of all persons likely to be affected thereby and notice is hereby given that the said draft rules will be taken into consideration on or after the expiry of sixty days from the date of which the copies of the official Gazette containing said notification are made available to the public;

Any objection or suggestion which may be received from any persons with respect to the said draft rules before the expiry of the period so specified above will be considered by the Central Government;

Objections or suggestions, if any, may be addressed to the Secretary, Ministry of Health and Family Welfare, Department of Health, Nirman Bhavan, New Delhi-110011.

DRAFT RULES

1. (1) These rules may be called the Prevention of Food Adulteration (Amendment) Rules, 1995.

(2) They shall come into force on the date of their publication in the Official Gazette.

2. In the Prevention of Food Adulteration Rules, 1955 (hereinafter referred to as the said rules), in rule 42 after clause zzz(7) the following clause shall be inserted, namely:—

“zzz(8) Every package containing alcoholic beverage shall carry the following label namely:—

Contains—————percent of ethyl alcohol by volume at 15/15° C (—————degree under proof

For the purpose of this declaration, the limits of variation of ethyl alcohol content shall be ± 3 per cent by volume of the declared strength.

3. In the said rules, in sub-rule (2) of rule 57, in Table,

(a) against serial No. 1, in column (2), after item (i-b) and entries relating thereto, the following items and entries shall be inserted, namely:—

“(i—C) Alcoholic Beverages	0.5
Non-Alcoholic Beer	0.5

(b) against serial No. 2, in column (2), after item (i) and entries relating thereto, the following items and entries shall be inserted, namely:

“(i-a) Gin, Brandy, Rum, Whisky, Vodka Country spirit	10
Beer, Non-alcoholic beer	1.5
Table wine	5J,,

(c) against serial No. 3, in column (2), after item (ii) and entries relating thereto, the following item and entries shall be inserted, namely:

“(ii-a) Alcoholic Beverages	0.25
Non-alcoholic beer	0.25

(d) against serial No. 6, in column (2), for the entries the following entries shall be substituted, namely:—

“Alcoholic Beverages	0.25
Non-alcoholic beer	0.25
Other foods	1.5

(e) against serial No. 7, in column (2), for the entries the following entries shall be substituted, namely:—

“Gin, Brandy, Rum, Vodka, Whisky, Country spirit	0.25
Fish	0.5
Other food	1.0

4. In Appendix B of the said rules, after item A. 29.01 and entries relating thereto the following shall be inserted, namely:—

"A. 29.02—Gin means the alcoholic liquor made from neutral spirit or rectified spirit flavoured with volatile products of juniper berries and other aromatics. It shall be free methyl alcohol, Chloral hydrate, ammonium chloride, pyridine, diazepam and paraldehyde, added colour any any other ingredient injurious to health. It shall be clear and shall not develop any turbidity on being diluted with water. It shall have the characteristic aroma and taste associated with gin.

The ethyl alcohol content in gin shall be 42.8 percent by volume (25 under proof) at 15/15°C. The limit of variation of ethyl alcohol content shall be ± 3.0 per cent by volume of the declared strength.

It shall also conform to the following standards, namely:—

Sl. No.	Characteristic	Requirement
1.	Residue on evaporation per cent (m/v) not more than	2.5
2.	Volatile acids as acetic acid (expressed in terms of 100 litres of absolute alcohol) not more than	5g
3.	Esters as ethyl acetate (expressed in terms of 100 litres of absolute alcohol) not less than	2g
4.	Higher alcohols as amyl alcohol (expressed in terms of 100 litres of absolute alcohol) not more than	50g
5.	Aldehydes as acetaldehyde (expressed in terms of 100 litres of absolute alcohol) not more than	20g

A.29.03—Vodka means the distilled alcoholic liquor made from neutral spirit or rectified spirit which may be obtained from fermented grain, potato, cassava or any other source of fermentable carbohydrates. It shall be free from sediments and suspended matter. It shall be free from added colouring matter dirt, other foreign matter or any ingredient injurious to health. It shall also be free from methyl alcohol, chloral hydrate, paraldehyde, ammonium chloride, pyridine and diazepam.

The ethyl alcohol content shall be 42.8 per cent by volume (25 degrees under proof) at 15/15°C. The limit of variation of ethyl alcohol content shall be ± 3.0 per cent by volume of the declared strength.

It shall also conform to the following standards, namely:—

Sl. No.	Characteristic	Requirement
1.	Residue on evaporation, per cent (m/v) not more than	1.0
2.	Volatile acids as acetic acid (expressed in terms of g per 100 litres of absolute alcohol), not more than	10
3.	Esters as ethyl acetate (expressed in terms of g per 100 litres of absolute alcohol), not more than	25
4.	Higher alcohols as amyl alcohol (expressed in terms of g per 100 litres of absolute alcohol), not more than	50
5.	Aldehydes as acetaldehyde (expressed in terms of g per 100 litres of absolute alcohol), not more than	15
6.	Furfural (expressed in terms of g per 100 litres of absolute alcohol), not more than	12

A. 29.04—Whisky shall be of following 3 types namely:—

(a) Malt whisky means the alcoholic distillate produced from fermented mash of malted or unmalted cereals or a mixture of both. The distillation shall be carried out in such a way that the spirit has flavour derived from the natural volatile principals already present in the raw materials or formed during fermentation.

(b) Whisky means the alcoholic liquor made from neutral spirit or rectified spirit or a mixture of both.

(c) Blended Malt whisky means a mixture of atleast 4 percent malt whisky with whisky.

Whiskies shall have the characteristics taste and aroma. Whiskies shall be free from sediments, and colouring matter exceptic caramel, dirt, other foreign matter or any ingredient injurious to health. It shall also be free from methyl alcohol, chloral hydrate, paraldehyde, ammonium chloride, pyridine, and diazepam.

The ethyl alcohol content of whiskies shall be 42.8 percent by volume (25 degrees under proof) at 15/15°C. The limit of variation of ethyl alcohol content shall be ± 3.0 percent by volume of the declared strength.

It shall also conform to the following standards, namely:—

Sl. No.	Characteristic	Requirement
1.	Residue on evaporation, percent (m/v) not more than	2.0
2.	Total ash, percent (m/v) not more than	0.1
3.	Volatile acids as acetic acid (expressed in terms of g per 100 litres of absolute alcohol), not more than	50
4.	Esters as ethyl acetate (expressed in terms of g per 100 literes of absolute alcohol), not less than	
	(a) For malt whisky	10
	(b) For whisky	2
	(c) For blended malt whisky	5
5.	Higher alcohols as amyl alcohol (expressed in terms of g per 100 litres of absolute alcohol), not more then	350
6.	Aldehydes as acetaldehyde (expressed in terms of g per 100 litres of absolute alcohol), not more than	
	(a) Malt whisky	45
	(b) Whisky	15
	(c) Blended malt whisky	35
7.	Furfural (expressed in terms of g per 100 litres of absolute alcohol), not more than	12

A.29.05—Country spirits (Distilled)—Country spirits (Distilled) shall be of following 3 types, namely :—

(a) Plain country spirit : Means the alcoholic distillate obtained from fermented mash of cereals, potato, cassava, fruits, molasses, jaggery, juice/sap of coconut, palmyra and other palm trees, mahua flowers or any other source of fermentable carbohydrate. The distillation shall be carried out in such a way that the spirit has flavour derived from the natural volatile principles already present in raw materials used or formed during fermentation.

(b) Blended country spirit : Means a blend of potstill distillate, rectified spirit and natural alcohol. It shall possess the characteristic taste and aroma associated with product.

(c) Spiced country spirit : Means the plain or blended country spirit which has been flavoured and or coloured. For colouring only permitted natural food colours can be used.

Country spirits shall be free from colouring matter except spiced country spirit which may contain permitted natural colours. It shall also be free from dirt, other foreign matter or any ingredient injurious to health, methyl alcohol, chloral hydrate, paraldehyde, ammonium chloride, pyridine and diazepam.

The ethyl alcohol content shall be between 19.9 to 42.8 percent by volume (67-25 degrees under proof) at 15/15° c. The limit of variation of ethyl alcohol content shall be ± 3.0 percent by volume of the declared strength.

It shall also conform to the following standards, namely :—

Sl. No.	Characteristic	Requirement for		
		Plain country spirit	Blended country spirit	Spiced country spirit
1.	Total acids as tartaric acid (expressed in terms of g per 100 litres of absolute alcohol not more than	200	100	200
2.	Volatile acid as acetic acid (expressed in terms of g per 100 litres of absolute alcohol), not more than	100	50	100
3.	Esters as ethyl acetate (expressed in terms of g per 100 litres of absolute alcohol), not less than	5	3	5
4.	Higher alcohols as amyl alcohol (expressed in terms of 100 litres of absolute alcohol), not more than	250	250	250
5.	Aldehydes as acetaldehyde (expressed in terms of 100 litres of absolute alcohol), not more than	35	35	35
6.	Furfural (expressed in terms of g per 100 litres of absolute alcohol), not more than	12	12	12

A.29.06—Brandies shall be of following 3 types, namely :—

(a) Grape Brandy—Means the alcoholic distillate obtained solely from the fermented juice of fresh, ripe and sound grapes. The distillation shall be carried out in such a way that the spirit possesses the natural volatile principles already present in grapes or formed during fermentation.

Note :—In case of brandy made from any fruits other than grapes the names of the fruits shall substitute the word "Grape" in the definition.

(b) Brandy means an alcoholic liquor made from neutral spirit or rectified spirit. It shall possess the distinct odour and taste characteristic of Brandy.

(c) Blended grape Brandy means a mixture of at least 4 percent grape brandy with brandy. If any other fruit brandy is used for blending, then the name of grape shall be substituted by that fruit.

Brandies shall be free from sedimentation, added colouring matter except caramel, dirt, other foreign matter or any ingredient injurious to health. It shall also be free from methyl alcohol, chloral hydrate, paraldehyde, ammonium chloride, pyridine and diazepam.

Brandy when labelled as 'matured' shall be a blend of grapes, spirit, matured for not less than three months in wooden vats or barrels. It shall possess the characteristic aroma and taste of Brandy. It shall be of amber colour.

The ethyl alcohol content of brandies shall be 42.8 percent by volume (25 degree under proof) at 15/15°C. The limits of variation of ethyl alcohol content shall be ± 3.0 percent of the declared strength.

It shall also conform to the following standards namely :—

Sl. No.	Characteristic	Requirements
1.	Residue on evaporation percent (m/v) not more than	3.0
2.	Total ash, percent (m/v) not more than	0.5
3.	Volatile acids as acetic acid (expressed in terms of 100 litres of absolute alcohol), not more than	100 g
4.	Esters as ethyl acetate (expressed in terms of 100 litres of absolute alcohol) not less than	
	(a) Grape Brandy	10 g
	(b) Brandy	2 g
	(c) Blended grape brandy	5 g
5.	Higher alcohols as amylalcohol (expressed in terms of 100 litres of absolute alcohol), not more than	
	(a) Grape Brandy and blended grape brandy	350 g
	(b) Brandy	200 g
6.	All chydres as acetaldehyde (expressed in terms of 100 litres of absolute alcohol) not more than	
	(a) grape brandy and blended grape brandy	45 g
	(b) Brandy	15 g
7.	Furfural (expressed in terms of 100 litres of absolute alcohol), not more than	12 g

A.29.07 Rum—means the alcoholic distillate obtained from fermented juice of sugarcane, sugarcane product, sugarcane molasses, sugar beet or beet molasses or any carbohydrate preparation or carbohydrate containing raw materials. It shall be free from methyl alcohol, chloral hydrate, ammonium chloride pyridine, diazepam and paraldehyde:

It shall be free from sediments of suspended matter. It shall also be free from added colouring matter except caramel, dirt, other foreign matter or any ingredient injurious to health. Rum without caramel shall be designated as white rum.

The ethyl alcohol content shall be 42.8 percent by volume (25° under proof) at 15/15°C. The limits of variation of ethyl-alcohol content shall be ± 3.0 percent by volume of the declared strength.

It shall conform to the following standards, namely :—

Sl. No.	Characteristic	Requirements
1	2	3
1.	Colour :	
	(a) By tintometer in 1 cm cell, not less than	5 Red-5 Yellow
	or	
	(b) by comparison test	to conform the test

2. Residue on evaporation, g per 100 ml not more than	2.0 g
3. Total acids as tartaric acid (expressed in terms of 100 litres of absolute alcohol) not more than	200 g
4. Volatile acids as acetic acid (expressed in terms of 100 litres of absolute alcohol	100 g
5. Esters as ethyl acetate (expressed in terms of 100 litres of absolute alcohol) not less than	20 g
6. Higher alcohols as amyl alcohol (expressed in terms of 100 litres of absolute alcohol) not more than	300 g
7. Aldehydes as acetaldehyde (expressed in 100 litres of absolute alcohol) not more than	45 g
8. Furfural (expressed in 100 litres of absolute alcohol), not more than	8 g

A.29.08 Beer—Means the product of alcoholic fermentation of a mash in potable water of malted barley and hops or hops concentrates with or without the addition of other malted or unmalted cereals or other carbohydrate preparations. Hops substitutes bitter principles saponins from any source shall not be used.

It shall be free from methyl alcohol, chloral hydrate, ammonium chloride, pyridine, diazepam and paraldehyde.

It shall be free from sediments or suspended matter. It shall be free from added colour except caramel produced from sugar. It shall also be free from dirt, other foreign matter or any ingredient injurious to health. Bottled or canned beer shall be effectively pasteurized. It shall be free from coliform bacteria and other pathogenic micro organism. It shall be clear and have the characteristic colour, taste, bouquet and foam of its type.

It shall also conform to the following standards namely :—

Sl. No.	Characteristic	Requirements
1.	Ethyl alcohol content at 15°C, percent by volume/volumes	
(a)	for beer	3.0 to 5.0
(b)	for strong beer	5.1 to 7.0
2.	pH	3.5 to 4.5
3.	Carbon dioxide, v/v, not less than	2.5 vol.

A.29.09 Table wines: Means the product obtained by the alcoholic fermentation of fresh grape juice. It shall possess the varietal character derived from grapes or from the principles produced during its fermentation.

Table wines shall be of four types :

Dry white table wine and sweet white table wine : means the products obtained by the alcoholic fermentation of grapes. The wine shall be white to golden pale in colour.

Dry Red table wine and sweet red table wine: means the product obtained by the alcoholic fermentation of red, purple or black grapes or their mixture. The red colour shall come from natural pigments mainly anthocyanines present in the grapes. No synthetic colour shall be added to give the red colour. The wine shall possess distinct red or purple colour. Those having pink colour shall be marked as rose wine and not red wine.

It shall be free from added colouring matter, any unpleasant odour, taste, cloudiness, mould and bacterial growth. Table wine may be pasteurised if required by the consumers.

It shall also be free from methyl alcohol, chloral hydrate, paraldehyde, ammonium chloride, pyridine and diazepam, other foreign matter or any ingredient injurious to health.

It shall also conform to the following standards :—

Sl. No.	Characteristic	Requirement			
		Dry white Type	Sweet white type	Dry Red Type	Sweet Red Type
1.	Ethyl alcohol content, percent by volume	8 to 13	10.5 to 15.5	8 to 13	10.5 to 15.5
2.	Reducing residual sugar g/litre not more than	5.5	150	5.5	150
3.	Total acids tartaric acid g/litre	4 to 15	4 to 15	4 to 15	4 to 15
4.	Volatile acidity expressed as acetic acid g/litre, not more than	1.3	1.3	1.3	1.3
5.	Sucrose, g/litre, not more than	—	150	—	150
6.	Sulphur dioxide, mg/litre not more than	300	350	300	350
7.	Free sulphur dioxide, mg/litre not more than	150	—	150	—

A.29.10 Non alcoholic beer — means the product of alcoholic fermentation or otherwise of a mash in potable water of malted barley and hops or concentrate of hops with or without the addition of other malted or unmalted cereals or other carbohydrate preparations.

Ethyl alcohol content shall be less than 0.5 per cent by volume.

It shall be free from sediments or suspended matter. It shall be free from added colouring matter except caramel, dirt, other foreign matter or any ingredient injurious to health.

It shall be free from any added alcohol.

It shall be clear and have the characteristic colour, taste, bouquet and foam of its type. It shall be effectively pasteurised if required. It shall be charged with carbon dioxide before bottling. It shall also be free from methyl alcohol, chloral hydrate, paraldehyde, ammonium chloride, pyridine and diazepam.

It shall also conform to the following standards, namely :

Sl. No.	Characteristic	Requirements
1.	Ethyl alcohol content, percent by volume at 15/15°C not more than	0.5
2.	pH	3.5 to 4.5
3.	carbon dioxide, v/v	2.5 to 3.0
4.	Residue on evaporation, percent (m/v)	5 to 10
5.	Total plate count, per ml. not more than	50
6.	coliform count, in 100 ml	0
7.	Yeast and mould count	2 "

[[F.No. P-15014/1/91-PH (Food)]]

SHAILAJA CHANDRA, Jt. Secy.

Foot Note:—

The principal rules were published vide Subsequently amended vide.....

Note :—The Prevention of Food Adulteration Rules, 1955 were first published in Part II, Section 3 of the Gazette of India vide SRO 2105 dated 12-9-1955 and subsequently amended as follows by :—

1. SRO 1202 dated 26-5-56
2. SRO 1687 dated 28-7-56
3. SRO 2213 dated 28-9-56 Extraordinary
4. SRO 2755 dated 24-11-56

The further amendments were published in Part II, Section 3, Sub-section (i) of Gazette of India as follows by :—

5. GSR 514 dated 28-6-58
6. GSR 1211 dated 20-12-58
7. GSR 425 dated 4-4-60
8. GSR 169 dated 11-2-61
9. GSR 1134 dated 16-9-61
10. GSR 1340 dated 4-11-61
11. GSR 1564 dated 24-11-62
12. GSR 1589 dated 22-10-64
13. GSR 114 dated 11-12-65
14. GSR 74 dated 8-1-66
15. GSR 382 dated 19-3-66
16. GSR 1256 dated 26-8-67
17. GSR 1533 dated 24-8-68
18. GSR 2163 dated 14-12-68 (Corrigendum)
19. GSR 532 dated 8-3-69
20. GSR 1764 dated 26-7-69 (Corrigendum)
21. GSR 2068 dated 30-8-69
22. GSR 1809 dated 24-10-70
23. GSR 938 dated 12-6-71
24. GSR 992 dated 3-7-71
25. GSR 553 dated 6-5-72
26. GSR 436(E) dated 10-10-72
27. GSR 133 dated 10-2-73
28. GSR 205 dated 23-2-74
29. GSR 850 dated 12-7-75
30. GSR 508(E) dated 27-9-75
31. GSR 63(E) dated 5-2-76
32. GSR 754 dated 29-5-76
33. GSR 755 dated 29-5-76
34. GSR 856 dated 12-6-76
35. GSR 1417 dated 2-10-76
36. GSR 4(E) dated 4-1-77
37. GSR 18(E) dated 15-1-77
38. GSR 651(E) dated 22-10-77
39. GSR 732(E) dated 5-12-77
40. GSR 775(E) dated 27-12-77
41. GSR 36(E) dated 21-1-78
42. GSR 70(E) dated 8-2-78
43. GSR 238(E) dated 20-4-78
44. GSR 393(E) dated 4-8-78
45. GSR 590(E) dated 23-12-78
46. GSR 55(E) dated 31-1-79
47. GSR 142(E) dated 16-3-79 (Corrigendum)
48. GSR 231(E) dated 6-4-79
49. GSR 1043, dated 11-8-79 (Corrigendum)
50. GSR 1210 dated 29-9-79 (Corrigendum)
51. GSR 19(E) dated 28-1-80
52. GSR 243 dated 1-3-80
53. GSR 244 dated 1-3-80
54. GSR 577 dated 24-5-80 (Corrigendum)
55. GSR 996 dated 27-9-80 (Corrigendum)
56. GSR 579(E) dated 13-10-80
57. GSR 652(E) dated 14-11-80
58. GSR 710(E) dated 22-12-80
59. GSR 23(E) dated 16-1-81
60. GSR 205(E) dated 25-3-81 (Corrigendum)
61. GSR 290(E) dated 13-4-81
62. GSR 444 dated 2-5-81 (Corrigendum)
63. GSR 503(E) dated 1-9-81
64. GSR 891 dated 3-10-81 (Corrigendum)
65. GSR 1056 dated 5-12-81 (Corrigendum)
66. GSR 80 dated 23-1-82 (Corrigendum)
67. GSR 44(E) dated 5-2-82

- | | |
|---|---|
| 68. GSR 57(E) dated 11-2-82 | 99. GSR 368(E) dated 18-4-85 (Corrigendum) |
| 69. GSR 245(E) dated 11-3-82 | 100. GSR 385(E) dated 29-4-85 (Corrigendum) |
| 70. GSR 307(E) dated 3-4-82 (Corrigendum) | 101. GSR 543(E) dated 2-7-85 |
| 71. GSR 386 dated 17-4-82 (Corrigendum) | 102. GSR 550(E) dated 4-7-85 |
| 72. GSR 422(E) dated 24-5-82 | 103. GSR 587(E) dated 17-7-85 (Corrigendum) |
| 73. GSR 476(E) dated 20-7-82 (Corrigendum) | 104. GSR 605(E) dated 24-7-85 |
| 74. GSR 504(E) dated 20-7-82 (Corrigendum) | 105. GSR 745(E) dated 20-9-85 |
| 75. GSR 753(E) dated 11-12-82 (Corrigendum) | 106. GSR 746(E) dated 20-9-85 |
| 76. GSR 109(E) dated 26-2-83 | 107. GSR 748(E) dated 23-9-85 (Corrigendum) |
| 77. GSR 249(E) dated 8-3-83 | 108. GSR 892(E) dated 6-12-85 |
| 78. GSR 268(E) dated 16-3-83 | 109. GSR 903(E) dated 17-12-85 (Corrigendum) |
| 79. GSR 283(E) dated 26-3-83 | 110. GSR 73(E) dated 29-1-86 |
| 80. GSR 329(E) dated 14-4-83 (Corrigendum) | 111. GSR 507(E) dated 19-3-86 |
| 81. GSR 539(E) dated 1-7-83 (Corrigendum) | 112. GSR 724(E) dated 29-4-86 (Corrigendum) |
| 82. GSR 634 dated 9-5-83 (Corrigendum) | 113. GSR 851(E) dated 13-6-86 |
| 83. GSR 743 dated 3-10-83 (Corrigendum) | 114. GSR 852(E) dated 13-6-86 |
| 84. GSR 790(E) dated 10-10-83 | 115. GSR 910(E) dated 27-6-86 |
| 85. GSR 803(E) dated 27-10-83 | 116. GSR 939(E) dated 9-7-86 (Corrigendum) |
| 86. GSR 816(E) dated 3-11-83 | 117. GSR 1008(E) dated 18-8-86 (Corrigendum) |
| 87. GSR 829(E) dated 7-11-83 | 118. GSR 1149(E) dated 15-10-86 (Corrigendum) |
| 88. GSR 848(E) dated 19-11-83 | 119. GSR 1207(E) dated 18-11-86 (Corrigendum) |
| 89. GSR 893(E) dated 17-12-83 (Corrigendum) | 120. GSR 1228(E) dated 27-11-86 |
| 90. GSR 113 dated 20-1-84 (Corrigendum) | 121. GSR 12(E) dated 5-1-87 |
| 91. GSR 500(E) dated 9-7-84 | 122. GSR 28(E) dated 13-1-87 (Corrigendum) |
| 92. GSR 612(E) dated 18-8-84 (Corrigendum) | 123. GSR 270(E) dated 2-3-87 |
| 93. GSR 744(E) dated 27-10-84 | 124. GSR 344(E) dated 31-3-87 (Corrigendum) |
| 94. GSR 764(E) dated 15-11-84 | 125. GSR 422(E) dated 29-4-87 |
| 95. GSR 3(E) dated 1-1-85 | 126. GSR 500(E) dated 15-5-87 (Corrigendum) |
| 96. GSR 11(E) dated 4-1-85 | 127. GSR 569(E) dated 12-6-87 (Corrigendum) |
| 97. GSR 142(E) dated 8-3-85 (Corrigendum) | 128. GSR 840(E) dated 6-10-87 |
| 98. GSR 293(E) dated 23-3-85 | 129. GSR 900(E) dated 10-11-87 |
| | 130. GSR 916(E) dated 17-11-87 |

- | | |
|---|---|
| 131. GSR 917(E) dated 17-11-87 | 159. GSR 66(E) dated 11-2-91 (Corrigendum) |
| 132. GSR 918(E) dated 17-11-87 (Corrigendum) | 160. GSR 124(E) dated 5-3-91 |
| 133. GSR 72(E) dated 3-2-88 (Corrigendum) | 161. GSR 168(E) dated 21-3-91 (Corrigendum) |
| 134. GSR 73(E) dated 3-2-88 (Corrigendum) | 162. GSR 255(E) dated 3-5-91 (Corrigendum) |
| 135. GSR 366(E) dated 23-3-88 (Corrigendum) | 163. GSR 257(E) dated 3-5-91 |
| 136. GSR 367(E) dated 23-3-88 | 164. GSR 281(E) dated 29-5-91 |
| 137. GSR 437(E) dated 8-4-88 | 165. GSR 494(E) dated 25-7-91 |
| 138. GSR 436(E) dated 8-4-88 | 166. GSR 531(E) dated 14-8-91 (Corrigendum) |
| 139. GSR 454(E) dated 15-4-88 | 167. GSR 648(E) dated 25-10-91 |
| 140. GSR 618(E) dated 16-5-88 | 168. GSR 731(E) dated 10-12-91 |
| 141. GSR 855(E) dated 12-8-88 (Corrigendum) | 169. GSR 66(E) dated 30-1-92 (Corrigendum) |
| 142. GSR 856(E) dated 12-8-88 (Corrigendum) | 170. GSR 91(E) dated 7-2-92 |
| 143. GSR 924(E) dated 13-9-88 (Corrigendum) | 171. GSR 101(E) dated 18-2-92 |
| 144. GSR 1081(E) dated 17-11-88 (Corrigendum) | 172. GSR 314(E) dated 9-3-92 (Corrigendum) |
| 145. GSR 1157(E) dated 9-12-88 (Corrigendum) | 173. GSR 524(E) dated 15-5-92 (Corrigendum) |
| 146. GSR 42(E) dated 20-1-89 (Corrigendum) | 174. GSR 525(E) dated 15-5-92 (Corrigendum) |
| 147. GSR 128(E) dated 8-3-90 | 175. GSR 591(E) dated 15-6-92 |
| 148. GSR 411(E) dated 29-3-90 | 176. GSR 592(E) dated 15-6-92 (Corrigendum) |
| 149. GSR 445(E) dated 16-4-90 | 177. GSR 596(E) dated 17-6-92 |
| 150. GSR 457(E) dated 23-4-90 | 178. GSR 784(E) dated 28-9-92 |
| 151. GSR 728(E) dated 23-8-90 (Corrigendum) | 179. GSR 878(E) dated 17-11-92 |
| 152. GSR 729(E) dated 23-8-90 | 180. GSR 903(E) dated 2-12-92 (Corrigendum) |
| 153. GSR 732(E) dated 23-8-90 | 181. GSR 907(E) dated 4-12-92 |
| 154. GSR 727(E) dated 23-8-90 | 182. GSR 925(E) dated 15-12-92 |
| 155. GSR 764(E) dated 7-9-90 | 183. GSR 429(E) dated 25-5-93 (Corrigendum) |
| 156. GSR 867(E) dated 25-10-90 | 184. GSR 483(E) dated 30-6-93 (Corrigendum) |
| 157. GSR 10(E) dated 7-1-91 | 185. GSR 509(E) dated 14-7-93 (Corrigendum) |
| 158. GSR 24(E) dated 15-1-91 | |

186.	GSR 695(E) dated 9-11-93	193.	GSR 614(E) dated 9-8-94
187.	GSR 481(E) dated 16-9-93	194.	GSR 677(E) dated 6-9-94
188.	GSR 777(E) dated 16-12-93 (Corrigendum)	195.	GSR 807(E) dated 14-11-94
189.	GSR 105(E) dated 22-2-94	196.	GSR 847(E) dated 7-12-94
190.	GSR 106(E) dated 22-2-94	197.	GSR 853(E) dated 7-12-94.
191.	GSR 107(E) dated 22-2-94		
192.	GSR 300(E) dated 9-3-94		
